IN THE CLAIMS:

Please amend the claims as shown immediately below with all changes (e.g., additions, deletions, modifications) included, pursuant to 37 C.F.R. 1.121(c)(1).

Complete listing of the claims:

1. (Currently Amended) A method of contact manipulation and retrieval in an automatic call distribution system, comprising the steps of:

receiving a voice message having voice contact information;

converting the voice contact information to contact data in digitized, packetized form using speech recognition;

storing the contact data;

receiving a search term from a searcher; and

searching the stored contact data;

wherein the contact data is searched for at least one item of information <u>using the</u> received search term.

- 2. (Original) The method according to claim 1, wherein the message is a voice message, and wherein the voice message is packetized to thereby convert contact information in the voice message to contact data.
- 3. (Original) The method according to claim 1, wherein the message is a voice message, and wherein the voice message is converted to text as the contact data.
- 4. (Original) The method according to claim 1, wherein the message is a voice message, and wherein the voice message is packetized, and wherein the packetized voice message is converted to text as the contact data.
- 5. (Previously Presented) The method according to claim 1, wherein the system has at least

one agent, and wherein the method further comprises

providing at least one plug-in that implements conversion and storing of contact data in the automatic call distribution system;

assigning the at least one plug-in to the agent; and activating the at least one plug-in for the agent when a message having contact information is received at the automatic call distribution system.

- 6. (Previously Presented) The method according to claim 5, wherein the automatic call distribution system has a plurality of agents and a plurality of plug-ins, and wherein the method further comprises determining for a respective agent of the plurality of agents the at least one plug-in, which is assigned to the respective agent.
- 7. (Previously Presented) The method according to claim 5, wherein the method further comprises activating the plug-in for the agent when the agent logs onto the automatic call distribution system.
- 8. (Previously Presented) The method according to claim 5, wherein the messages are converted to text by a voice recognition unit, stored in a central repository for use in post-processing research, and evaluation.
- 9. (Currently Amended) A method of contact manipulation and retrieval in a communication system, comprising the steps of;

providing a plurality of agents and a plurality of format conversion plug-ins; assigning at least one respective conversion plug-in to a respective agent of the plurality of agents;

receiving a voice message having voice contact information by the respective agent; converting the voice contact information to contact data in digitized, packetized form using speech recognition;

storing the contact data;

receiving a search term from a searcher;

searching the stored contact data; and

wherein the contact data is searched for at least one item of information <u>using the</u> received search term.

- 10. (Original) The method according to claim 9, wherein the message is a voice message, and wherein the voice message is packetized to thereby convert contact information in the voice message to contact data.
- 11. (Original) The method according to claim 9, wherein the message is a voice message, and wherein the voice message is converted to text as the contact data.
- 12. (Original) The method according to claim 9, wherein the message is a voice message, and wherein the voice message is packetized, and wherein the packetized voice message is converted to text as the contact data.
- 13. (Currently Amended) An apparatus for contact manipulation and retrieval in a communication system, comprising:

means for receiving a voice message having voice contact information;
means for converting the voice contact information to contact data in digitized,
packetized form using speech recognition;

means for storing the contact data;

a search term received from a searcher; and

means for searching the stored contact data;

and wherein the contact data is searched for at least one item of information <u>using the received</u> search term.

14. (Previously Presented) The apparatus according to claim 13, wherein the message is a voice message, and wherein the apparatus further comprises means for packetizing the voice

message to thereby convert contact information in the voice message to contact data.

- 15. (Previously Presented) The apparatus according to claim 13, wherein the message is a voice message, and wherein the apparatus further comprises means for converting the voice message to text as the contact data.
- 16. (Previously Presented) The apparatus according to claim 13, wherein the message is a voice message, and wherein the apparatus further comprises means for packetizing the voice message, and means for converting the packetized voice message to text as the contact data.
- 17. (Previously Presented) The apparatus according to claim 13, wherein the system has at least one agent, and wherein the apparatus further has: means for providing at least one plug-in that implements conversion and storing of contact data in the communication system; means for assigning the at least one plug-in to the agent; and means for activating the at least one plug-in for the agent when a message having contact information is received at the communication system.
- 18. (Previously Presented) The apparatus according to claim 17, wherein the communication system has a plurality of agents and a plurality of plug-ins, and wherein the apparatus further comprises means for determining for a respective agent of the plurality of agents the at least one plug-in, which is assigned to the respective agent.
- 19. (Previously Presented) The apparatus according to claim 17, wherein the apparatus further comprises means for activating the plug-in for the agent when the agent logs onto the communication system.
- 20. (Previously Presented) The apparatus according to claim 13, wherein the communication system is an automatic call distribution system.